

## Quassel IRC - Bug #1026

### Quasselcore doesn't handle interrupted PostgreSQL connection

09/26/2010 01:15 PM - amiconn

|   |              |                        |                   |
|---|--------------|------------------------|-------------------|
| <b>Status:</b>  | Closed       | <b>Start date:</b>     | 09/26/2010        |
| <b>Priority:</b>  | Normal       | <b>Due date:</b>       |                   |
| <b>Assignee:</b>  |              | <b>% Done:</b>         | 0%                |
| <b>Category:</b>  | Quassel Core | <b>Estimated time:</b> | 0.00 hour         |
| <b>Target version:</b>  |              | <b>OS:</b>             | Any               |
| <b>Version:</b>   | 0.7-pre      |                        |                   |
| <b>Description</b>  |              |                        |                   |
| <p>When quasselcore is using PostgreSQL and the database connection is interrupted for whatever reason while the core is running (service restart, network interruption when using a non-local PostgreSQL server), the core does no longer work properly until it is restarted:</p> <ul style="list-style-type: none"><li>- No new messages appear in connected clients</li><li>- Newly connected clients don't received backlog, even though the GUI pretends backlog fetch is happening (no error message)</li><li>- The core log fills with QSqlQuery errors like this:</li></ul> <pre>2010-09-26 11:00:43 Error: unhandled Error in QSqlQuery!<br/>2010-09-26 11:00:43 Error:      last Query: EXECUTE quassel_1 (147, 500)<br/>2010-09-26 11:00:43 Error:      executed Query:<br/>2010-09-26 11:00:43 Error:      bound Values:<br/>2010-09-26 11:00:43 Error:      Error Number: -1<br/>2010-09-26 11:00:43 Error:      Error Message: FEHLER: vorbereitete Anweisung 'quassel_1' existiert nicht<br/>Es konnte keine Abfrage erzeugt werden<br/>2010-09-26 11:00:43 Error:      Driver Message: QPSQL: Es konnte keine Abfrage erzeugt werden<br/>2010-09-26 11:00:43 Error:      DB Message: FEHLER: vorbereitete Anweisung 'quassel_1' existiert nicht</pre> <p>I would expect quasselcore to perform a reconnect if it loses database connection, and proceed like normal.</p> |              |                        |                   |
| <b>Related issues:</b>  |              |                        |                   |
| Is duplicate of Quassel IRC - Bug #1044: [Postgres] Prepared statements go mi...  |              | <b>Resolved</b>        | <b>01/30/2011</b> |

#### History

##### #1 - 10/18/2010 07:15 PM - TerrorBite

Confirming this bug.

It appears that the core will reconnect to the database, however it does not set back up Quassel's prepared statements (apparently this is only done at core startup). As a result, any database operation that relies on a prepared statement will fail after the database connection is interrupted, since those statements no longer exist in the database engine.

##### #2 - 01/01/2012 05:22 AM - TerrorBite

This is a duplicate of [#1044](#), please close.

##### #3 - 01/01/2012 02:05 PM - johu

- Status changed from New to Closed