

## Quassel IRC - Bug #1097

### Backend settings are not restored after failed migration

09/12/2011 01:31 AM - jotik

<b>Status:</b>	New	<b>Start date:</b>	09/12/2011
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Quassel Core	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>OS:</b>	Linux
<b>Version:</b>	0.7.2		
<b>Description</b>			
<p>Using Quassel 0.7.3, I tried to switch from SQLite to PostgreSQL according to <a href="#">PostgreSQL</a>. The process failed due to leftovers in the SQLite database. After cleaning those I was unable to re-run the migration, because quasselcore already thought it was using PostgreSQL.</p> <p>My guess is that <code>saveBackendSettings(backend, settings);</code> shouldn't be called in <code>Core::selectBackend()</code> before migration is successful.</p> <p>A temporary workaround after a failed migration is this:</p> <ol style="list-style-type: none"><li>1) Backup your the quassel-storage.sqlite database and your quasselCert.pem certificate</li><li>2) Clean the existing Quassel configuration</li><li>3) Re-setup Quassel to use the SQLite backend (e.g. using "quasselcore --select-backend=SQLite" or similar)</li><li>4) Replace the new quassel-storage.sqlite and quasselCert.pem from your backup</li><li>5) Clean the quassel database created in PostgreSQL by the unsuccessful migration</li><li>6) Re-run the migration.</li></ol> <p>PS: Redmine does not allow me to set 0.7.3 as the version.</p>			

#### History

#1 - 01/21/2012 08:49 PM - johu

- Target version deleted (0.7.4)