

## Quassel IRC - Bug #1347

### Migration to PostgreSQL fails because of too long channel messages inside buffer table

04/28/2015 04:16 PM - michiwend

<b>Status:</b>	New	<b>Start date:</b>	04/28/2015
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Quassel Core	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.10.0	<b>OS:</b>	Linux
<b>Version:</b>	0.10.0		

#### Description

buffername and buffercname are of type varying(128). I suggest using varying(512)

WriterError:

executed Query:

```
INSERT INTO buffer (bufferid, userid, groupid, networkid, buffername, buffercname, buffertype, lastseenmsgid, markerlinemsgid, key, joined)
```

```
VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```

bound Values:

0 : 275

1 : 1

2 : 0

3 : 1

4 : Willkommen in #augsburg | EH15: <https://eh15.easterhegg.eu/site/2015/01/aufruf-zur-mitgestaltung> | <https://openlab-augsburg.de/veranstaltungen/> | <https://www.c3a.de/> | <http://augsburg.freifunk.net/> | helden:[xxxxxx,xxxxx];

5 : willkommen in #augsburg | eh15: <https://eh15.easterhegg.eu/site/2015/01/aufruf-zur-mitgestaltung> | <https://openlab-augsburg.de/veranstaltungen/> | <https://www.c3a.de/> | <http://augsburg.freifunk.net/> | helden:[xxxxxx,xxxxx];

6 : 4

7 : 3794584

8 : 3794584

9 :

10 : false

Error Number: -1

Error Message: "ERROR: value too long for type character varying(128)

(22001) QPSQL: Unable to create query"