

Quassel IRC - Bug #346

Quassel Crashes on startup.

10/11/2008 06:49 PM - jussi01

| | | | |
|--|----------------|------------------------|-----------|
| Status: | Resolved | Start date: | |
| Priority: | High | Due date: | |
| Assignee: | EgS | % Done: | 0% |
| Category: | Quassel Client | Estimated time: | 0.00 hour |
| Target version: | 0.3.1 | OS: | Any |
| Version: | 0.13.1 | | |
| Description | | | |
| I started quassel, while in the loading window moved the main window, shortly after it crashed. | | | |
| Additional information: | | | |
| BT | | | |
| NetworkModel::setLastSeenMsgId(): buffer is unknown: 763 NetworkModel::setLastSeenMsgId(): buffer is unknown: 507 ASSERT: "!msglist.isEmpty()" in file /home/jussi/quassel/src/client/messagemodel.cpp, line 102 | | | |
| <pre>1. 0 quasselclient 0x082493a1 Quassel::handleCrash() 2. 1 quasselclient 0x0824a1f4 Quassel::handleSignal(int) 3. 2 0xffffffffb7f4f400 __kernel_sigreturn 4. 3 0xffffffffb7f4f430 __kernel_vsyscall 5. 4 libc.so.6 0xffffffffb6780880 gsignal 6. 5 libc.so.6 0xffffffffb6782248 abort 7. 6 libQtCore.so.4 0xffffffffb7d3f795 qt_message_output(QtMsgType, char const*) 8. 7 libQtCore.so.4 0xffffffffb7d3f872 qFatal(char const*, ...) 9. 8 libQtCore.so.4 0xffffffffb7d3f915 qt_assert(char const*, char const*, int) 10. 9 quasselclient 0x08210a6c MessageModel::insertMessageGroup(QList<Message> const&) 11. 10 quasselclient 0x08211cc5 MessageModel::insertMessagesGracefully(QList<Message> const&) 12. 11 quasselclient 0x08211fe3 MessageModel::insertMessages(QList<Message> const&) 13. 12 quasselclient 0x080ed4f9 QtUiMessageProcessor::process(QList<Message>&) 14. 13 quasselclient 0x0820598d ClientBacklogManager::receiveBacklog(BufferId, int, int, QList<QVariant>) 15. 14 quasselclient 0x082647fb BacklogManager::qt_metacall(QMetaObject::Call, int, void**) 16. 15 quasselclient 0x08227246 ClientBacklogManager::qt_metacall(QMetaObject::Call, int, void**) 17. 16 quasselclient 0x0825527f SignalProxy::invokeSlot(QObject*, int, QList<QVariant> const&, QVariant&) 18. 17 quasselclient 0x0825641d SignalProxy::handleSync(QIODevice*, QList<QVariant>) 19. 18 quasselclient 0x08256c88 SignalProxy::receivePeerSignal(QIODevice*, QVariant const&) 20. 19 quasselclient 0x08256ebd SignalProxy::dataAvailable() 21. 20 quasselclient 0x0826cc1d SignalProxy::qt_metacall(QMetaObject::Call, int, void**) 22. 21 libQtCore.so.4 0xffffffffb7e4ca60 QMetaObject::activate(QObject*, int, int, void**) 23. 22 libQtCore.so.4 0xffffffffb7e4d7e2 QMetaObject::activate(QObject*, QMetaObject const*, int, void**) 24. 23 libQtCore.so.4 0xffffffffb7e85847 QIODevice::readyRead() 25. 24 libQtNetwork.so.4 0xffffffffb7326d5c 0x00000000 26. 25 libQtNetwork.so.4 0xffffffffb731c4f8 0x00000000 27. 26 libQtNetwork.so.4 0xffffffffb7320e9e QSslSocket::qt_metacall(QMetaObject::Call, int, void**) 28. 27 libQtCore.so.4 0xffffffffb7e4ca60 QMetaObject::activate(QObject*, int, int, void**) 29. 28 libQtCore.so.4 0xffffffffb7e4d7e2 QMetaObject::activate(QObject*, QMetaObject const*, int, void**) 30. 29 libQtCore.so.4 0xffffffffb7e85847 QIODevice::readyRead() 31. 30 libQtNetwork.so.4 0xffffffffb7305a72 0x00000000 32. 31 libQtNetwork.so.4 0xffffffffb72f4ceb 0x00000000 33. 32 libQtNetwork.so.4 0xffffffffb72f6056 0x00000000 34. 33 libQtGui.so.4 0xffffffffb74b98ec QApplicationPrivate::notify_helper(QObject*, QEvent*) 35. 34 libQtGui.so.4 0xffffffffb74c176e QApplication::notify(QObject*, QEvent*) 36. 35 libQtCore.so.4 0xffffffffb7e37e61 QCoreApplication::notifyInternal(QObject*, QEvent*) 37. 36 libQtCore.so.4 0xffffffffb7e6270a 0x00000000 38. 37 libglib-2.0.so.0 0xffffffffb66ae6f8 g_main_context_dispatch 39. 38 libglib-2.0.so.0 0xffffffffb66b1da3 0x00000000 40. 39 libglib-2.0.so.0 0xffffffffb66b1f61 g_main_context_iteration 41. 40 libQtCore.so.4 0xffffffffb7e62478 QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>)</pre> | | | |

| | | | | |
|-----|----|----------------|--------------------|--|
| 42. | 41 | libQtGui.so.4 | 0xffffffffb7553ee5 | 0x00000000 |
| 43. | 42 | libQtCore.so.4 | 0xffffffffb7e3652a | QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) |
| 44. | 43 | libQtCore.so.4 | 0xffffffffb7e366ea | QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) |
| 45. | 44 | libQtCore.so.4 | 0xffffffffb7e38da5 | QCoreApplication::exec() |
| 46. | 45 | libQtGui.so.4 | 0xffffffffb74b9767 | QApplication::exec() |
| 47. | 46 | quasselclient | 0x080e888b | main |
| 48. | 47 | libc.so.6 | 0xffffffffb676b685 | __libc_start_main |
| 49. | 48 | quasselclient | 0x080e8651 | 0x00000000 |

History

#1 - 10/13/2008 02:16 AM - EgS

Fixed in current git:

<http://git.quassel-irc.org/?p=quassel.git;a=commit;h=8f88a7c2bccdca34b61e046160cd83ada7a16a7f>