

Quassel IRC - Feature #356

Add CAPAB IDENTIFY-MSG ability

10/16/2008 05:37 PM - jussi01

Status:	New	Start date:	
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:	General / Unspecified	Estimated time:	0.00 hour
Target version:			
OS:	Any		
Description			
<p>How can I tell when someone might be spoofing a user's identity? If your client supports CAPAB IDENTIFY-MSG, you can configure it to let you know when someone speaking on channel or via /msg is not identified to services. Scripts to take advantage of CAPAB IDENTIFY-MSG are currently available for irssi and mIRC, and a patch is available for sirc and ksirc. If you want other people using this feature to know that you're you, have your client identify to nickserv when you connect to the network. You should also follow the canonical setup steps for your IRC nickname.</p> <p>http://freenode.net/faq.shtml#spoofing</p>			
Related issues:			
Has duplicate Quassel IRC - Feature #276: Please provide some way of discerni...			Resolved

History

#1 - 10/17/2008 01:07 PM - jussi01

little bit I missed: When the registered user name policy changes associated with the NOIDPREFIX server capability go into effect, you'll be able to distinguished unregistered users by the tilde ("~") character at the beginning of their IRC nicknames.