

Quassel IRC - Bug #498

Quassel don't build unter Windows with VC 2005 again

01/22/2009 12:49 PM - Datafreak

Status:	Resolved	Start date:	01/22/2009
Priority:	Normal	Due date:	
Assignee:	Sputnick	% Done:	0%
Category:	General / Unspecified	Estimated time:	0.00 hour
Target version:	0.4.0	OS:	Any
Version:	0.3.1+		
Description			
<pre>C:\dev\build>cmake -G"Makefiles" C:\dev\quassel -DSTATIC=1 -DWANT_CORE=ON -DWANT_QTCLIENT=ON -DWANT_MONO=ON -DWITH_PHONON=OF F -- The C compiler identification is MSVC -- The CXX compiler identification is MSVC -- Check for CL compiler version -- Check for CL compiler version - 1400 -- Check if this is a free VC compiler -- Check if this is a free VC compiler - no -- Check CL platform -- Check CL platform - 32 bit -- Check for working C compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- Check for working C compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- works -- Detecting C compiler ABI info -- Detecting C compiler ABI info - done -- Check for working CXX compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- Check for working CXX compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- works -- Detecting CXX compiler ABI info -- Detecting CXX compiler ABI info - done -- Looking for Q_WS_X11 -- Looking for Q_WS_X11 - not found. -- Looking for Q_WS_WIN -- Looking for Q_WS_WIN - found -- Looking for Q_WS_QWS -- Looking for Q_WS_QWS - not found. -- Looking for Q_WS_MAC -- Looking for Q_WS_MAC - not found. -- Found Qt-Version 4.4.3 (using C:/dev/qt-win-opensource-src-4.4.3/bin/qmake.exe) -- Found OpenSSL: optimized;C:/OpenSSL/lib/VC/static/ssleay32.lib;debug;C:/OpenSSL/lib/VC/static/s sleay32MDd.lib -- Found OpenSSL support in Qt -- QtDBus not found, disabling D-Bus support -- Found QtWebKit, enabling WebKit support -- Disabling KDE4 integration -- Disabling Phonon support -- Compile Quassel icons into the binary -- Compile Oxygen icon theme subset into the binary -- Including languages: cs da de fr nb_NO ru tr_TR Qt QTDBUS library not found. Qt QTDBUS library not found. -- Configuring done -- Generating done -- Build files have been written to: C:/dev/build C:\dev\build>nmake VERBOSE=1 Microsoft (R) Program Maintenance Utility, Version 8.00.50727.42 Copyright (C) Microsoft Corporation. Alle Rechte vorbehalten. "C:\Programme\CMake 2.6\bin\cmake.exe" -HC:\dev\quassel -BC:\dev\build --check-build-syste m CMakeFiles\Makefile.cmake 0</pre>			

```

"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_start C:\dev\build\CMakeFiles C:\dev\build\CMakeFiles\progress.ma
ke
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f CMakeFiles\Makefile2 /nologo
-
all
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f CMakeFiles\genversion.dir\buil
ld.make /nologo -L
CMakeFiles\genversion.dir\depend
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_depends "NMake Makefiles" C:\dev\quassel C
:\dev\quassel C:\dev\build C:\dev
v\build C:\dev\build\CMakeFiles\genversion.dir\DependInfo.cmake --color=
Dependee "C:\dev\build\CMakeFiles\genversion.dir\DependInfo.cmake" is newer than depender "C:/dev/
build/CMakeFiles/genversion.dir/
depend.internal".
Scanning dependencies of target genversion
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f CMakeFiles\genversion.dir\buil
ld.make /nologo -L
CMakeFiles\genversion.dir\build
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Building CXX object CMakeFiles/genversion.dir/src/common/genversion.cpp.obj
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF2.tmp
genversion.cpp
Linking CXX executable genversion.exe
"C:\Programme\CMake 2.6\bin\cmake.exe" -E vs_link_exe C:\PROGRA~1\MICROS~1\VC\bin\cl.exe
/nologo @CMakeFiles\genversion.d
ir\objects.rsp @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF3.tmp
Visual Studio Non-Incremental Link
LINK:
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe /nologo @CMakeFiles\genversion.dir\objects.rsp /DWIN32 /D_WINDO
WS /W3 /Zm1000 /EHsc /GR /MD /O2
/Ob2 /D NDEBUG -DQT_NO_DEBUG /Fegenversion.exe /FdC:\dev\build\genversion.pdb -link /implib:genve
rsion.lib /version:0.0 /MANIFEST
/STACK:10000000 /machine:I386 /INCREMENTAL:NO /subsystem:console imm32.lib winmm.lib dbghelp.lib
C:\OpenSSL\lib\VC\static\ssleay3
2.lib libeay32MD.lib C:\dev\qt-win-opensource-src-4.4.3\lib\QtCore.lib ws2_32.lib kernel32.lib use
r32.lib gdi32.lib winspool.lib s
hell32.lib ole32.lib oleaut32.lib uuid.lib comdlg32.lib advapi32.lib
MT:
C:/Programme/Microsoft SDKs/Windows/v6.1/Bin/mt.exe /nologo /manifest genversion.exe.manifest /out
putresource:genversion.exe;#1
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Built target genversion
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f CMakeFiles\genversion_run.dir
\build.make /nologo -L
CMakeFiles\genversion_run.dir\depend
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_depends "NMake Makefiles" C:\dev\quassel C
:\dev\quassel C:\dev\build C:\de
v\build C:\dev\build\CMakeFiles\genversion_run.dir\DependInfo.cmake --color=
Dependee "C:\dev\build\CMakeFiles\genversion_run.dir\DependInfo.cmake" is newer than depender "C:/
dev/build/CMakeFiles/genversion_
run.dir/depend.internal".
Scanning dependencies of target genversion_run
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f CMakeFiles\genversion_run.dir
\build.make /nologo -L
CMakeFiles\genversion_run.dir\build
.\genversion.exe C:/dev/quassel C:/dev/build/src/version.gen
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Built target genversion_run
"C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f icons\CMakeFiles\icons.dir\bu
ild.make /nologo -L
icons\CMakeFiles\icons.dir\depend
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_depends "NMake Makefiles" C:\dev\quassel C
:\dev\quassel\icons C:\dev\build
C:\dev\build\icons C:\dev\build\icons\CMakeFiles\icons.dir\DependInfo.cmake --color=
Dependee "C:\dev\build\icons\CMakeFiles\icons.dir\DependInfo.cmake" is newer than depender "C:/dev
/build/icons/CMakeFiles/icons.di
r/depend.internal".

```

```

Scanning dependencies of target icons
  "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f icons\CMakeFiles\icons.dir\bu
ild.make /nologo -L
  icons\CMakeFiles\icons.dir\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating qrc_hicolor.cxx
  cd C:\dev\build\icons
  C:\dev\qt-win-opensource-src-4.4.3\bin\rcc.exe -name hicolor -o C:/dev/build/icons/qrc_hic
olor.cxx C:/dev/quassel/icons/hi
color.qrc
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating qrc_oxygen.cxx
  cd C:\dev\build\icons
  C:\dev\qt-win-opensource-src-4.4.3\bin\rcc.exe -name oxygen -o C:/dev/build/icons/qrc_oxyg
en.cxx C:/dev/quassel/icons/oxyg
en.qrc
  cd C:\dev\build
  cd C:\dev\build\icons
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Built target icons
  "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f i18n\CMakeFiles\i18n.dir\buil
d.make /nologo -L
  i18n\CMakeFiles\i18n.dir\depend
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_depends "NMake Makefiles" C:\dev\quassel C
:\dev\quassel\i18n C:\dev\build
C:\dev\build\i18n C:\dev\build\i18n\CMakeFiles\i18n.dir\DependInfo.cmake --color=
Dependee "C:\dev\build\i18n\CMakeFiles\i18n.dir\DependInfo.cmake" is newer than depender "C:/dev/b
uild/i18n/CMakeFiles/i18n.dir/de
pend.internal".
Scanning dependencies of target i18n
  "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f i18n\CMakeFiles\i18n.dir\buil
d.make /nologo -L
  i18n\CMakeFiles\i18n.dir\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating quassel.qm
  cd C:\dev\build\i18n
  C:\dev\qt-win-opensource-src-4.4.3\bin\lrelease.exe C:/dev/quassel/i18n/quassel.ts -qm C:/
dev/build/i18n/quassel.qm -silen
t -compress
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating quassel_cs.qm
  cd C:\dev\build\i18n
  C:\dev\qt-win-opensource-src-4.4.3\bin\lrelease.exe C:/dev/quassel/i18n/quassel_cs.ts -qm
C:/dev/build/i18n/quassel_cs.qm
-silent -compress
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating quassel_da.qm
  cd C:\dev\build\i18n
  C:\dev\qt-win-opensource-src-4.4.3\bin\lrelease.exe C:/dev/quassel/i18n/quassel_da.ts -qm
C:/dev/build/i18n/quassel_da.qm
-silent -compress
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating quassel_de.qm
  cd C:\dev\build\i18n
  C:\dev\qt-win-opensource-src-4.4.3\bin\lrelease.exe C:/dev/quassel/i18n/quassel_de.ts -qm
C:/dev/build/i18n/quassel_de.qm
-silent -compress
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 0%] Generating quassel_fr.qm
  cd C:\dev\build\i18n
  C:\dev\qt-win-opensource-src-4.4.3\bin\lrelease.exe C:/dev/quassel/i18n/quassel_fr.ts -qm

```

```

C:/dev/build/i18n/quassel_fr.qm
-silent -compress
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 0%] Generating quassel_nb_NO.qm
  cd C:/dev/build/i18n
  C:/dev/qt-win-opensource-src-4.4.3/bin\lrelease.exe C:/dev/quassel/i18n/quassel_nb_NO.ts -
qm C:/dev/build/i18n/quassel_nb_
NO.qm -silent -compress
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 0%] Generating quassel_ru.qm
  cd C:/dev/build/i18n
  C:/dev/qt-win-opensource-src-4.4.3/bin\lrelease.exe C:/dev/quassel/i18n/quassel_ru.ts -qm
C:/dev/build/i18n/quassel_ru.qm
-silent -compress
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 0%] Generating quassel_tr_TR.qm
  cd C:/dev/build/i18n
  C:/dev/qt-win-opensource-src-4.4.3/bin\lrelease.exe C:/dev/quassel/i18n/quassel_tr_TR.ts -
qm C:/dev/build/i18n/quassel_tr_
TR.qm -silent -compress
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 0%] Generating qrc_i18n.cxx
  cd C:/dev/build/i18n
  C:/dev/qt-win-opensource-src-4.4.3/bin\rcc.exe -name i18n -o C:/dev/build/i18n/qrc_i18n.cx
x C:/dev/build/i18n/i18n.qrc
  cd C:/dev/build
  cd C:/dev/build/i18n
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles 1
2
[ 2%] Built target i18n
  "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f src\common\CMakeFiles\mod_com
mon.dir\build.make /nologo -L
  src\common\CMakeFiles\mod_common.dir\depend
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 2%] Generating moc_aliasmanager.cxx
  cd C:/dev/build/src/common
  C:/dev/qt-win-opensource-src-4.4.3/bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/sr
c/common/moc_aliasmanager.cxx C:
/dev/quassel/src/common/aliasmanager.h
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 2%] Generating moc_backlogmanager.cxx
  cd C:/dev/build/src/common
  C:/dev/qt-win-opensource-src-4.4.3/bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/sr
c/common/moc_backlogmanager.cxx
C:/dev/quassel/src/common/backlogmanager.h
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles 15
[ 3%] Generating moc_buffersyncer.cxx
  cd C:/dev/build/src/common
  C:/dev/qt-win-opensource-src-4.4.3/bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/sr
c/common/moc_buffersyncer.cxx C:
/dev/quassel/src/common/buffersyncer.h
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles
[ 3%] Generating moc_bufferviewconfig.cxx
  cd C:/dev/build/src/common
  C:/dev/qt-win-opensource-src-4.4.3/bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/sr
c/common/moc_bufferviewconfig.cxx
x C:/dev/quassel/src/common/bufferviewconfig.h
  cd C:/dev/build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:/dev/build/CMakeFiles

```

```

[ 3%] Generating moc_bufferviewmanager.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_bufferviewmanager.c
xx C:/dev/quassel/src/common/bufferviewmanager.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 3%] Generating moc_coreinfo.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_coreinfo.cxx C:/dev
/dev/quassel/src/common/coreinfo.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles 16
[ 4%] Generating moc_identity.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_identity.cxx C:/dev
/dev/quassel/src/common/identity.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 4%] Generating moc_ircchannel.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_ircchannel.cxx C:/d
ev/quassel/src/common/ircchannel.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 4%] Generating moc_irclisthelper.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_irclisthelper.cxx C
:/dev/quassel/src/common/irclisthelper.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 4%] Generating moc_ircuser.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_ircuser.cxx C:/dev/
quassel/src/common/ircuser.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 4%] Generating moc_network.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_network.cxx C:/dev/
quassel/src/common/network.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles 17
[ 5%] Generating moc_settings.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_settings.cxx C:/dev
/dev/quassel/src/common/settings.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 5%] Generating moc_signalproxy.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_signalproxy.cxx C:/
dev/quassel/src/common/signalproxy.h
      cd C:\dev\build
      "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 5%] Generating moc_syncableobject.cxx
      cd C:\dev\build\src\common
      C:\dev\qt-win-opensource-src-4.4.3\bin\moc.exe -DHAVE_SSL -DHAVE_WEBKIT -o C:/dev/build/src
c/common/moc_syncableobject.cxx

```

```

C:/dev/quassel/src/common/syncableobject.h
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_depends "NMake Makefiles" C:\dev\quassel C
:\dev\quassel\src\common C:\dev\
build C:\dev\build\src\common C:\dev\build\src\common\CMakeFiles\mod_common.dir\DependInfo.cmake -
-color=
Dependee "C:\dev\build\src\common\CMakeFiles\mod_common.dir\DependInfo.cmake" is newer than depend
er "C:/dev/build/src/common/CMak
eFiles/mod_common.dir/depend.internal".
Scanning dependencies of target mod_common
  "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe" -f src\common\CMakeFiles\mod_com
mon.dir\build.make /nologo -L
  src\common\CMakeFiles\mod_common.dir\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 5%] Building CXX object src/common/CMakeFiles/mod_common.dir/aliasmanager.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF6.tmp
aliasmanager.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/backlogmanager.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF7.tmp
backlogmanager.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferinfo.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF8.tmp
bufferinfo.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/buffersyncer.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmF9.tmp
buffersyncer.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewconfig.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFA.tmp
bufferviewconfig.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewmanager.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFB.tmp
bufferviewmanager.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/cliparser.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFC.tmp
cliparser.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/identity.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFD.tmp
identity.cpp
  cd C:\dev\build
  "C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircchannel.cpp.obj
  cd C:\dev\build\src\common
  C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFE.tmp
ircchannel.cpp
  cd C:\dev\build

```

```
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircuser.cpp.obj
cd C:\dev\build\src\common
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nmFF.tmp
ircuser.cpp
cd C:\dev\build
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles 9
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/logger.cpp.obj
cd C:\dev\build\src\common
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nm100.tmp
logger.cpp
cd C:\dev\build
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/message.cpp.obj
cd C:\dev\build\src\common
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nm101.tmp
message.cpp
cd C:\dev\build
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/network.cpp.obj
cd C:\dev\build\src\common
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nm102.tmp
network.cpp
cd C:\dev\build
"C:\Programme\CMake 2.6\bin\cmake.exe" -E cmake_progress_report C:\dev\build\CMakeFiles
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/quassel.cpp.obj
cd C:\dev\build\src\common
C:\PROGRA~1\MICROS~1\VC\bin\cl.exe @C:\DOKUME~1\DATAFR~1\LOKALE~1\Temp\nm103.tmp
quassel.cpp
C:\dev\quassel\src\common\quassel.cpp(290) : error C2143: Syntaxfehler: Es fehlt ';' vor '<<'
NMAKE : fatal error U1077: "C:\PROGRA~1\MICROS~1\VC\bin\cl.exe": Rückgabe-Code "0x2"
Stop.
NMAKE : fatal error U1077: "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe": Rückgabe-C
ode "0x2"
Stop.
NMAKE : fatal error U1077: "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe": Rückgabe-C
ode "0x2"
Stop.
```

History

#1 - 01/22/2009 01:06 PM - EgS

- Status changed from New to Resolved