

## Quassel IRC - Feature #85

### Implement a "Simple Mode" for the monolithic client

01/22/2008 03:13 PM - Sputnik

<b>Status:</b>	Resolved	<b>Start date:</b>	
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	EgS	<b>% Done:</b>	0%
<b>Category:</b>	Quassel Client	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.3.1		
<b>OS:</b>	Any		
<b>Description</b>			
<p>In order to provide an easy experience for new users, or for people who want to use Quassel like a traditional client (i.e. without core/client separation), we should provide an easy mode that automatically sets up the sqlite database and creates a core user with a scrambled (or no?) password, disabling listening to the outside of course.</p> <p>This Simple Mode could be a choice in the First-Run Wizard, and it should be possible to "upgrade" to Advanced Mode later by providing the necessary settings.</p>			

#### History

##### #1 - 04/10/2008 12:00 AM - Sputnik

This will be made dependent on Qt 4.4, since we should probably make use of QLocalSocket for the internal connection...

##### #2 - 10/22/2008 12:01 AM - EgS

Actually this does not depend on Qt 4.4. but we depend on Qt 4.4 now anyways.

A simple monolithic mode is implemented in current git.

Some of it's features:

- no need to setup the core
- no need to setup a account in the client - just click "use internal core" and you're done
- Quassel's SignalProxy can now be connected directly thus directly delivering calls - no need for a local socket or something similar